

CPT-36 Power trowel is equipped with four special made steel blades to produce a surface finish with single operation process. This machine comes with the design that keeps the system and blade in a rigid position. It is able to provide a flat surface with a reasonable good surface finish without using a turbo disc.



Special crafted slide pulley design to reduce wear and tear parts and lengthen lifespan of machine parts

Self maintain blade that gives a constant wear and renew its edge on its own while machine at work.

**CPT-36A/EY20**

Model	CPT-36A/ EX17	CPT-36A/ EY20	CPT-36A/ GX200	CPT436/ GX160	CPT436/ EY20
Weight	79kg	79kg	87kg	80kg	87kg
Dimension (HxBxW)	890x1610x1010 (mm)				
Blade Dimension (BxW)	335x200 (mm)				
Trowel Diameter	910mm/36 inch				
Trowel Speed	50-100 rpm				
Power	5.7HP/ 4.3kW	5Hp/ 3.7kW	6.5Hp/ 4.8kW	5.5Hp/ 4.1kW	5Hp/ 3.7kW
Engine Type	Robin EY17	Robin EY20	Honda GX200	Honda GX160	Robin EY20

Special process steel to give long lifespan to the trowel blade.



**CPT-36E/2.2kw-inv**



**CPT-36A/D1**

Model	CPT-36A/ D1	CPT-36A/ D2	CPT-436/ F220	CPT-36E/ 2.2KW	CPT-46
Weight	84kg	84kg	87kg	87kg	110kg
Dimension (HxBxW)		890x1610x1010 (mm)			1044x1170 x1910(mm)
Blade Dimension (BxW)		335x200 (mm)			457x203 (mm)
Trowel Diameter		910mm/36 inch			1170mm/ 46 inch
Trowel Speed		50-100 rpm			60-100 rpm
Power	4.5HP/ 3.6kW	4.4HP/ 3.3kW	5.5HP/ 4.1kW	3HP/ 2.2kW	5HP/ 3.7kW
Engine Type	Diesel F250	Diesel KM170FB	Diesel F220	Electric Motor	Diesel F300

**JS36H90/QXH**

The J-series incorporates amazing balance, improved serviceability and your choice of a standard or quick-pitch handle, providing contractors with the ideal machine for residential and general construction work. These 46" (1170mm) workhorses will handle the majority of your finishing requirements.

**Multiquip standard walk-behind trowels are used to trackle a wide range of applications and are perfect for accurate troweling of small to medium sized areas.**

The B-Series incorporates all latest improvements, amazing balance and control and improved serviceability.

**BS46H11/QXH**

Model	BS46H11/QXH	JS36H90/QXH
Weight	119kg	82kg
Dimension (HxBxL)	1044 x 1170 x 1910 (mm)	810 x 1010 x 1610 (mm)
Blade Dimension (BxW)	457 x 203 (mm)	335 x 200 (mm)
Trowel Diameter	1170mm/46 inch	910mm/36 inch
Trowel Speed	60-130 rpm	60-130 rpm
Power	8Hp/6kW	8Hp/6kW
Engine Type	GX340	GX270